

SWINE

WELFARE

FACT SHEET

Author:

John J. McGlone, PhD
Animal Science and Food Technology
Pork Industry Institute
Texas Tech University

This is for discussion about sows and space in animal agriculture.
The perspective is that of the author.



**NATIONAL
PORK BOARD**

P.O. BOX 9114
DES MOINES, IA 50306
515 223 2600
FAX 515 223 2646
porkboard@porkboard.org



**AMERICAN
ASSOCIATION OF SWINE
VETERINARIANS**

902 1ST STREET
PERRY, IA 50220
515 465 5255
FAX 515 465 3832
aasv@netins.net

Sows and Space

Introduction: Pork producers have both economic and ethical incentives to understand the amount of space that meets the anatomical and behavioral needs of the pig. It is not enough to say pigs need more space on purely anthropomorphic grounds. We must understand how science has defined space needs of pigs. Still, some people may impose ethical or perceptual requirements about how much space should be provided that differs from purely science-based requirements. This paper will firstly consider how various groups' view the space provided to pigs and secondly address the various ways in which space requirements have been defined based on science.

Historical Perspective on Space Requirements: In 1965, a group established by the British government and led by the zoologist F. W. Rogers Brambell examined the welfare of farm animals. They concluded that animals have five basic freedoms. These include the freedom to get up, lie down, turn around, stretch their limbs and groom (lick or rub itself or others; Hurnik et al., 1995). At the time (and to this day), some animals in some circumstances do not have enough space to meet these five freedoms. The Brambell's report on the "Five Freedoms" is not specifically recognized by any authoritative body in the USA. However, the USDA does regulate animals used in research and for exhibition, and for these animals the USDA awards similar "freedoms." The USDA requires that regulated species (animals used in research and for exhibition) must be able to turn about freely, to stand, sit, lie in a comfortable, normal position and to walk in a normal manner (USDA, 2002). What the Brambell report (1965) and the USDA are saying, for exhibition and animals used in research, is that they should be given enough space to be able to make "normal postural adjustments." The rules espoused in the Brambell report and the USDA Animal Welfare Act (1966), used common sense logic or human perception because current scientific data were not available.

Some people interpret "adequate" space quite differently. For example, one could provide enough space for sows to make normal postural adjustments except turning around and there are scientific studies that support this amount of space as adequate. To make some sense out of different views we should examine what scientific studies have reported about space requirements for animals.

Static, Dynamic and Social Space

Animals can be said to have three types of space requirements: static, dynamic and (or) social space requirements. If one provides enough space for the sow's body to be contained, then one has met her static space requirement. If more space is given so that all body movements can be accommodated, then the dynamic space requirement is met. If animals are in a social group, then the social space allowance provides space for unimpeded social interactions.


Static Space Requirement can be determined by direct measurement (ex. tape measures and calipers that directly measure body dimensions). These measures have been collected and important regression equations have been reported that, describe each sow dimension. From these equations one can predict the average dimension of several body features. If one provides enough space for the sow's body to be contained, then one has met her static space requirement.

Yet caution should be exercised because the "average" sow may not reflect the requirements of the smaller or larger individual sows (Figure 1). Thus, some indication of the variation in sow body size must also be determined. Furthermore, stage of pregnancy and feeding levels on farms will influence the size of sows (Figure 1). A typical gestation stall may have an inside dimension of 22 inches (56 cm), (24 inches (61 cm) center to center), by 7 feet (2 m) long with a height of 40 inches (102 cm). Note that the body of a large sow weighing 660 lb. (330 kg) will be contained in a stall that is 17 inches wide (43 cm), 6.5 feet (1.9 m) long and has a height of 3.4 feet (1 m). Thus, a 2 by 7-foot stall (0.6 by 2 m) could easily meet the static space needs of a 660 lb. (300 kg) sow.

Dynamic Space Requirement is the space that a sow needs to make postural adjustments without interference from the walls of the enclosure. The dynamic space requirement is determined by a quantitative photographic or metric analysis of the space occupied when sows are standing up or lying down or making other postural movements. Baxter (1984) and Curtis et al., (1989) evaluated the dynamic space needs of sows. They filmed sows making postural adjustments such as standing and lying down and then estimated the space required by the sows to make these adjustments. Regression equations were generated to estimate the dynamic space needs of sows.

As an example, Curtis et al., (1989) found that sows at 550 lb. (250 kg) body weight required a pen (or stall) width of 18.3 inches (46.5 cm) to meet their dynamic space

Figure 1. Relationships between body weight and body dimensions (or static space requirements) of the domestic pig. Figure (a) is body width at its widest point, Figure (b) is body length and Figure (c) is body height. Data are from Baxter (1984).



Continued on next page

Table 1. Estimates of dynamic space requirement for sows of various sizes based on Curtis et al., (1989).

		Width		Length		Height	
lb.	kg	cm	inches	cm	inches	cm	inches
330	150	73.7	29.0	191.1	75.2	89.2	35.1
440	200	80.6	31.7	207.0	81.5	94.6	37.2
550	250	86.4	34.0	220.3	86.7	99.0	39.0
660	300	91.4	36.0	231.8	91.3	102.8	40.5

requirements or in other words to make unobstructed (without touching the sides of the stall) postural adjustments. When Curtis et al., (1989) discussed the space in stalls, they did not consider the feeder to be a part of the floor space that allowed for unobstructed movements. Thus, the estimates of dynamic space requirement for sows were made in space not including the feeder, waterer or other obstructions that might be in a stall or pen. Estimates of dynamic space requirements generated by Curtis et al., (1989) are given in Table 1 for sows of various sizes. Internal pen obstructions should be added to these values if they enter the space needed for dynamic space body movements

Marchant and Broom (1996) examined the time required to stand up or lie down for sows in stalls compared with sows in a single electronic sow feeder pen. Sows in stalls increased the time required to stand up and lie down as their body length increased. The authors interpreted this as an indication that larger sows had "difficulty" in movement when standing up or lying down quickly. However, alternative explanations are that older or larger sows may require more time to stand up or lie down, or that larger sows kept individually are not in a hurry to stand up or lie down due to reduced social pressures. In support of alternative explanations, Harris and Gonyou (1998) found that when individually housed lactating sows were given more room in their stall the larger stalls did not facilitate posture-changing behaviors and in fact the wider stalls appeared to be less comfortable.

Social Space Requirement is less well defined in the scientific literature and has not been determined using a systematic approach. However, space needs for full social interactions of sows are probably provided if the space allowances in the Swine Care Handbook (NPB, 2003) are met. To provide for the "social space" requirements of the sow there is a need to include more than the requirement for simple social interaction. When in a group pen, sows strive to establish separate areas for lying, feeding, drinking and elimination of urine and feces. Sows can socially interact to varying degrees with 14 to 20 ft²/ sow (1.3 m² to 1.9 m²/ sow).

Interestingly, if the dynamic space needs of each sow are met, and if sows are in a group of five or more sows), they should have the ability to socially interact in a normal manner. In one study of space needs of group-housed sows, the number of lesions due to social stress was increased when less than 25 ft²/ sow (2.4 m²/ sow) were given to group housed sows (Weng et al., 1998). However, the authors cautioned that their study could not be generalized to different group sizes or feeding methods.

Pigs are social animals and they share resting space when group housed leaving some free or unoccupied space. For example, as group size increases in finishing pigs (from 5 or more the amount of free or unoccupied space increases (McGlone and Newby, 1994). The dynamic space allowance of individual sows is greater than the space needed per sow for social interactions. In all likelihood the total space could therefore be reduced with larger group sizes without negatively impacting each individual sow's ability to move within the dynamic space requirement.

Conclusion

Further research must define the space requirements for group housed sows, but for now, all that can be predicted is that the total space required for group-housed sows will be less than the sum of the individual sow dynamic space requirements but more than the static space requirements. Data are not currently available for sow static and dynamic space requirements using modern genetics and production systems.

Literature Cited

- Baxter, S. 1984. Intensive Pig Production: Environmental Management and Design. Granada Technical Books. London.
- Brambell, F. W. R. 1965. Report of the Technical Committee to Enquire into the Welfare of Animals Kept Under Intensive Livestock Husbandry Systems. Command Paper 2836. Her Majesty's Stationery Office. London.
- Curtis, S. E., R. J. Hurst, H. W. Gonyou, A. H. Jensen, and A. J. Muehling. 1989. The physical space requirement of the sow. *J. Anim. Sci.* 67:1242-1248.
- Harris, M. J., and H. W. Gonyou. 1998. Increasing available space in a farrowing crate does not facilitate postural changes or maternal responses in gilts. *Appl. Anim. Behav. Sci.* 59:285-296.
- Hurnik, J. F., A. B. Webster, and P. B. Siegel. 1995. Dictionary of Farm Animal Behavior. Second Ed. Iowa State University Press, Ames.
- Marchant, J. N., and D. M. Broom. 1996. Factors affecting posture-changing in loose-housed and confined gestating sows. *Anim. Sci.* 63:477-485.
- McGlone, J. J., and B. Newby. 1994. Space requirements for finishing pigs in confinement: behavior and performance while group size and space vary. *Appl. Anim. Behav. Sci.* 39:331-338.
- National Pork Board (NPB). 2002. 2002. Swine Care Handbook.
- United States Department of Agriculture (USDA). 1966. revised 1985. Reprinted 2002. Animal Welfare Act and Regulations. Accessed on Jul 16, 2002. <http://www.nal.usda.gov/awic/legislat/usdaleg1.htm>
- Weng, R. C., S. A. Edwards, and P. R. English. 1998. Behaviour, social interactions and lesion scores of group-housed sows in relation to floor space allowances. *Appl. Anim. Behav. Sci.* 59:307-316.